

# Vanderburgh Food EH



[ (Inspection) Inspection Date between '06/01/2025 and 06/07/2025' AND (Facility) Facility Type = 'Restaurant' ]

## Matching Code Violation Records (9)

Facility Name	Address	Violation Type	Observation	Comments
Fairfield Inn Evansville West	5400 Weston Rd.	Pf	Observed no sanitation test strips available.	
Gerst Bavarian Haus	2100 W Franklin St	Pf	Observed molded pretzels in cooler.	
Gerst Bavarian Haus	2100 W Franklin St	C	No wiping cloths observe to be used and stored properly.	
Gerst Bavarian Haus	2100 W Franklin St	P	Cooler temperature in front line area reading 58 degrees and food temped at 49 degrees. Food inside discarded by manager.	
Gerst Bavarian Haus	2100 W Franklin St	Pf	No consumer advisory was observed for undercooked or raw meat served and options are available.	
Gerst Bavarian Haus	2100 W Franklin St	Pf	No thermometers were available at time of inspection.	
Gerst Bavarian Haus	2100 W Franklin St	Pf	Observed shelves in walk in cooler to be soiled and rusty.	
Gerst Bavarian Haus	2100 W Franklin St	C	Cooler floors and kitchen equipment observed to be soiled and rusty.	
Gerst Bavarian Haus	2100 W Franklin St	Pf	Insect activity observed in basement.	