Vanderburgh Food EH

Media Report–Krista
Media Reports
11/2/2026
9:34:58 AM

[(Inspection) Inspection Date between '10/11/2026 and 10/17/2026' AND (Facility) Facility Type = 'Restaurant']
Results within (Other) ...

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
Arby´s #5754	4650 University Dr.	C	Observed mop sink not cleanable.	
Boba tea house	800 N GREEN RIVER RD	Pf	Observed establishment does not have a certified food handler.	
Boba tea house	800 N GREEN RIVER RD	C	Observed utensils being stored in stagnant water.	
Boba tea house	800 N GREEN RIVER RD	Pf	Observed prepped food items in fridge without date markings.	
Boba tea house	800 N GREEN RIVER RD	Pf	Observed establishment has no food temperature measuring devices.	
Boba tea house	800 N GREEN RIVER RD	Pf	Observed handwashing sinks had no drying provisions.	
Bourbon Street Grill	800 N Green River Rd	Pf	Observed food prepped in walk-in without date markings.	
China Experience	800 N Green River Rd	C	Observed employees personal drinks being stored above prep table and on food prep line.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
China Experience	800 N Green River Rd	P	Observed improper cooling methods being used.	
China Experience	800 N Green River Rd	P	Observed walk-in cooler temping at 50 degrees with food temping at 46.4 degrees.	
China Experience	800 N Green River Rd	Pf	Observed prepped food with no date markings	
China Experience	800 N Green River Rd	C	Observed shelf under food prep table lined with a cardboard material that was absorbent and not cleanable.	
China Experience	800 N Green River Rd	P	Observed pans and prep bowls not being sanitized in 3 bay sink prior to being put away.	
China Experience	800 N Green River Rd	C	Observed serving utensils being stored in stagnant water.	
China Experience	800 N Green River Rd	Pf	Observed handwashing sink with water below 85 degrees. Water heater was turned off.	
China Experience	800 N Green River Rd	C	Observed sink by walk-in not functioning properly in need of repair.	
Clarion Pointe	19600 Elpers Rd.	Pf	Observed establishment does not provide written procedures for responding to bodily fluid events.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
Clarion Pointe	19600 Elpers Rd.	Pf	Observed establishment does not provide test strips for measuring sanitizer solution.	
Clarion Pointe	19600 Elpers Rd.	Pf	Observed establishment does not have proper handwashing signage in kitchen.	
Clarion Pointe	19600 Elpers Rd.	C	Observed establishment does not have hand drying provisions at hand sink in kitchen	
D-Ice	800 N Green River Rd Suite 112	C	Observed utensils being stored in stagnant water.	
D-Ice	800 N Green River Rd Suite 112	Pf	Observed handwashing sinks being used for purposes other than handwashing.	
Donut Bank	210 N St.Joseph Ave	P	Observed ice guard to be soiled.	
Friendship Diner	834 Tutor Ln.	C	Observed employees eating and drinking in undesignated areas in kitchen.	
Friendship Diner	834 Tutor Ln.	C	Observed areas of the floor in dishwasher area in need of repair not easily cleanable nonabsorbent.	
Friendship Diner	834 Tutor Ln.	C	Observed areas at the back door in need of repair areas open to the elements.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
G.D. Ritzy´s	4810 University Dr.	Pf	Observed no thermometer located in front end refrigerator.	
G.D. Ritzy´s	4810 University Dr.	C	Observed freezer door with ice build up.	
G.D. Ritzy´s	4810 University Dr.	C	Observed facility to be soiled.	
Mach 1	19920 Ruffian Way	C	Observed establishment has unapproved pest control device store in donut case in establishment.	
MA. T. 888 China Bistro	5636 Vogel Rd	C	Observed rice serving utensils being stored in stagnant water.	
MA. T. 888 China Bistro	5636 Vogel Rd	Pf	Observed establishment has no strips or device to measure the concentration in ppm of sanitizing solution.	
Nori Japan	800 N Green River Rd unit 106	C	Observed serving utensils being stored in stagnant water.	
Nori Japan	800 N Green River Rd unit 106	P	Observed cooling unit under grill with product temping at 46.2 degrees.	
Nori Japan	800 N Green River Rd unit 106	Pf	Observed food prep in cooler with no date markings.	
Nori Japan	800 N Green River Rd unit 106	Pf	Observed handwashing sink with no hand cleaning liquid, powder or bar.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
Ozanam Family Shelter	1100 Read St.	P	Cans of Infant formula expired	
Quality Inn Mahadev	19622 Elpers Rd.	Pf	Observed establishment does not provide written procedures for responding to bodily fluids event	
Quality Inn Mahadev	19622 Elpers Rd.	Pf	Observed establishment does not have thermometers for measuring internal temperature of food products.	
Quality Inn Mahadev	19622 Elpers Rd.	Pf	Observe establishment does not have test strips for measuring sanitizer solution.	
Quality Inn Mahadev	19622 Elpers Rd.	Pf	Observed establishment does not have signage for handwashing sink in kitchen.	
Quality Inn Mahadev	19622 Elpers Rd.	C	Observed establishment did not have hand drying provisions at handwashing sink in kitchen.	
Riverfront Events Center- Cavanaugh's	450 NW Riverside Dr	C	Observed areas under cooking equipment in kitchen soiled in need of cleaning.	
The Kitchen Buffet/Bally Bet Sportsbook & Bar	700 NW Riverside Dr	C	Observed areas on bar equipment in casino soiled in need of cleaning.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
The Kitchen Buffet/Bally Bet Sportsbook & Bar	700 NW Riverside Dr	C	Observed areas around drink stations on casino floor soiled in need of cleaning.	
The Taqueria/Gonz'z Steak Burger	800 N Green River Rd Ste 113	Pf	Observed establishment does not have a certified food handler.	
The Taqueria/Gonz'z Steak Burger	800 N Green River Rd Ste 113	C	Observed items in cooler without coverings to prevent contamination.	
The Taqueria/Gonz'z Steak Burger	800 N Green River Rd Ste 113	C	Observed frozen meat thawing at room temperature on a prep table in back of kitchen.	
The Taqueria/Gonz'z Steak Burger	800 N Green River Rd Ste 113	Pf	Observed prepped items in cooler without dates and with a date of 2/10/2026	
The Taqueria/Gonz'z Steak Burger	800 N Green River Rd Ste 113	Pf	Observed handwashing sink with water not reaching 85 degrees.	
The Taqueria/Gonz'z Steak Burger	800 N Green River Rd Ste 113	Pf	Observed handwashing sink in front area not draining properly with bucket catching water.	
The Taqueria/Gonz'z Steak Burger	800 N Green River Rd Ste 113	Pf	Observed handwashing sinks with no handwashing cleaner.	
United Methodist Youth Home	2521 N Burkhardt Rd	Pf	Observed food establishments food handling certification is expired.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
Wild Eggs - Evansville	1223 HIRSCHLAND RD	C	Observed employees not storing personal drinks in designated areas. Drinks where store on line with possible food contamination.	
Wild Eggs - Evansville	1223 HIRSCHLAND RD	C	Observed establishment not properly thawing chicken under running water or slacked in walk-in.	
Wild Eggs - Evansville	1223 HIRSCHLAND RD	Pf	Observed food items in kitchen being used where dated to be used by 10/08/26 todays date is 10/12/26.	
Wild Eggs - Evansville	1223 HIRSCHLAND RD	C	Observed establishment using handwashing sink for other things other than handwashing.	

Application Use and Disclaimer

GIS/Mapping Disclaimer